

## 64bit 4-Bay NAS+Backup Appliance Dual Gigabit with RDX Docking

The AccuNAS AN4L+BRDX is a backup appliance designed to use in network environment for data backup. Build-in RDX docking station, AN4L+BRDX provides NAS features as well as automatic schedule backup from internal RAID protected hard drives to RDX tape media. It supports Windows, MAC and Linux Network in SMB, AFP and NFS network, consolidate data storage from different network, while backing up the data using build-in support of replication, or copy the data within to different location. AN4L+BRDX supports backup within itself, as well as backup to another unit of AccuNAS / EliteNAS storage on schedule. Backup support with up to 10 different revision to ensure no data is accidentally deleted. Front USB 3.0 ports allow removable hard drives, such as TowerSTOR and MobileSTOR USB 3.0 series (TS1UT+B, MS1UT+B, TR4/5/8UT+B) as external copy of data. RDX docking station support up to 1.5TB and is available for offsite, offline data backup.

AN4L+BRDX build-in with 2 network port for failover, as well as 4 hard drives, up to 32TB in RAID 0, 1, 10, 5 and 6 for performance and protection in RAID applications. AN4L+BRDX is half of the wide of the 4U rackmount, and optional rackmount kit (part#: CS-SAN-VA004RK) available to mounting two units into one 4U space. This innovative design allows two units back up each other in a data center or production environment. Built upon AccuNAS and EliteNAS network storage operating systems, AN4L+BRDX provides many other features, such as FTP server, ADS / LDAP supports as well as iSCSI target and initiator support. AN4L+BRDX is an ideal choice for NAS and unattended data backup in the network.

- Backup Appliance in a box

Build-in replication features in a box. Files saves in the units will automatically backup to different volume of hard drives, USB 3.0 storage, and RDX disk cartridges, or second units on the same or remote network.

- RDX Docking Station Build-in, up to 1.5TB Cartridges

With build-in RDX docking station, AN4L+BRDX support up to 1.5TB RDX cartridges for secure offsite backup.

- Dual Gigabit and RAID Hard Drives Protection

AN4L+BRDX is designed with simple setup and easy maintenance features in mind. Features such as installation wizard for easy implementation out of the box, convenient web-based management for local or remote configuration, Dual 10/100/1000 gigabit ports supporting teaming and fail-over redundancy plus RAID protection for your data storage making the AN4L+BRDX a very robust yet easy to use Windows/MAC/Linux sharing NAS server system.

- Feature Rich Data Storage - Built-in Snapshot, Folder Replication and iSCSI

In comparison to other products in the market, AN4L+BRDX is bundled with many enterprise level advanced features without the additional cost. For example, iSCSI target support for iSCSI applications, iSCSI initiator support for future data storage expansion, folder to folder replication, scheduled or on-demand volume snapshot and local tape backup support just to name a few.

- iSCSI Support for VMware

To take advantage of centralized storage for all virtual machines in VMware ESX or Vsphere, the AN4L+BRDX can be used as a focal storage point for the VMware ESX or ESXi server hosting multiple virtual machines. Utilizing the AN4L+BRDX as an iSCSI target storage system for the VMware ESX/ESXi server, the AN4L+BRDX is ready for your VMware storage virtualization needs.

### Features:

- 4GB DDR3 Memory.
- Backup storage appliance supports schedule replication backup from disk to disk, disk to tape.
  - Supports up to a total of 32TB (Raw) SATA hard drive (8TB x 4 HDD).
- Operating system specifically designs for Windows/MAC/Linux sharing NAS server and iSCSI application.
  - RAID 0, 1, 1+0, 5 and 6 with spare.
- Intel 3rd Generation Ivy Bridge Celeron Dual Core 1.80Ghz processor with 2MB of Cache.
  - Dual Gigabit Ethernet ports.
- Convenient setup and easy maintenance.

### Convenient Setup And Easy Maintenance :

- IP discovery tools for easy deployment.
- Web GUI configuration interface supporting Internet Explorer and Firefox browsers.
  - Informational Event Log for diagnostics.
    - Supports local user account.
- Supports Windows Active Directory Service or Primary Domain Server and Workgroup.
  - Supports HTTPS/SSL service.

### Storage Protection :


- Designed with Linux based Journaling file system (EXT4, Dedup, Block Device, XFS).
- Folder to folder replication supporting scheduling with multiple versions or full replication with bandwidth control.
  - Supports scheduled or on-demand volume snapshot.
    - Supports local user account.
  - System configuration backup and restore.
- Supports Local Tape backup, 3rd party backup agent.

### Support iSCSI :

- Supports iSCSI target and initiator.
- Supports VMware ESX Server 4.0/4.1, 5.0/5.1 or Microsoft Hyper-V Server or Citrix XGen Server.



1. USB 3.0 x2
2. LED Power/Alarm
3. Power/Reset Button
4. Power Connector
5. USB 2.0 x2
6. PS/2 Keyboard/Mouse



7. USB 3.0 x2
8. HDMI
9. VGA
10. Dual Gigabit Ethernet
11. Audio Output/Mic Input

## Specifications:

- Form Factor:

4 bay tower with build-in RDX docking station

- Processor:

Intel 3rd Generation Celeron Dual Core 1.80 GHz w/ 2MB Cache

- Memory:

4GB DDR-3 Memory (Upgradeable To 8GB)

- RAID Level & RAID Engine:

0, 1, 1+0, 5, 6 - Software Embedded RAID Engine

- Maximum Capacity:

32TB

- Available Expansion Slot:

USB 3.0 x4 - USB 2.0 x2

- Hot-Swappable:

Yes

- Network:

10/100/1000 Gigabit Ethernet Ports x2 (Intel Chipset Gigabit Ethernet)

- Hard Drives:

4x SATA/SSD HDD trays

- Power Supply:

200W (100V to 230V)

- Control Interface:

Web Browser - Supporting IE and Firefox

- Dimensions (In) & Weight (lb):

12.0"W x 8.0"D x 8.5"H - 13lb

- Certificates:

CE, FCC, UL, RoHS

- Limited Warranty:

2 Years